

# Product Specification

客户/CUSTOMER : \_\_\_\_\_

品名/PRODUCT NAME : 100m VGA Extender

型号/MODEL NO. : DD191

料号/PART NO. : \_\_\_\_\_

Approved By	Checked By	Drawn By	Version :
		XIANG	1.0

<b>DOC.</b>	<b>TO CUSTOMER</b>	<b>Model NO.</b>	<b>DD191</b>
		<b>Version</b>	<b>1.0</b>
<b>Product Name</b>	<b>100m VGA Extender</b>	<b>Page</b>	<b>1 OF 1</b>
		<b>Date</b>	<b>2017/5/4</b>
		<b>REV.</b>	

## 1. PRODUCT APPEARANCE



## 2. PRODUCT DESCRIPTION

The VGA Extender comprises a local transmitting unit and a remote receiving unit which are connected by standard Category 5/6 cables simultaneously up to 100m.

## 3. PRODUCT SPECIFICATION

Length of CAT-6 cable between Rx and TX: Up to 100 meters

Video input :1Vp-p

Video impedance :75Ω

Video gain :  $0\text{db} \leq \text{DG} \leq 1\text{db}$

Audio input :2.2Vp-p / 10KΩ

Audio gain :  $-1\text{db} \leq \text{DG} \leq 0\text{db}$

Max Resolution:1920\*1200@60HZ

Max bandwidth:350MHz

Input cable distance:≤10m VGA(3+6) standard cable

Output cable distance:≤50m VGA(3+6) standard cable

Power adapter format Input: AC (50HZ, 60HZ) 100V-240V; Output: DC12V/1A(RX/TX)

Size: Sender 105\*96\*27mm ,Receiver 72\*68\*24mm

Weight: Sender 0.2kg ,Receiver 0.1kg

## 4. PACKAGE LIST

1x Sender

1x Receiver

2x Power Adaptor

1x User Manual

1x Certificate of conformity

## 5. DIAGRAM

# HIGH SPEED POINT TO POINT OUTPUT

